Refine Search

Search Results -


Terms	Documents
(two) ADJ (calibration) adj (board) and (scan\$4)	2

US Pre-Grant Publication Full-Text Database US Patents Full-Text Database

Database:

US OCR Full-Text Database EPO Abstracts Database JPO Abstracts Database Derwent World Patents Index IBM Technical Disclosure Bulletins

Search:











Search History

DATE: Wednesday, February 16, 2005 Printable Copy Create Case

Set Name side by side	Query	Hit Count	Set Name result set
DB =	PGPB, USPT; PLUR = YES; OP = OR		301
<u>L12</u>	(two) ADJ (calibration) adj (board) and (scan\$4)	2	<u>L12</u>
<u>L11</u>	(two) ADJ (calibration) adj (board) and (scan\$\$4)	2	<u>L11</u>
<u>L10</u>	(two) ADJ (calibration) adj (board)	2	<u>L10</u>
<u>L9</u>	L8 and 358/\$.ccls.	2	<u>L9</u>
<u>L8</u>	(two) near5 (calibration) near5 (board or plate)	134	<u>L8</u>
<u>L7</u>	L6 and L5	14	<u>L7</u>
<u>L6</u>	(two or many or several) near5 (calibration) near5 (board or reference or mark or plate)	751	<u>L6</u>
<u>L5</u>	(calibrat\$3 or correct\$3 or adjust\$3 or compensat\$4 or enhanc\$3) near5 (path adj deviation or vibration or resolution) near5 (scan\$4 or read\$4 or CCD or sensor)	2402	<u>L5</u>
<u>L4</u>	L2 and 358/474.ccls.	68	<u>L4</u>
<u>L3</u>	L2 and 358/\$.ccls.	294	<u>L3</u>

Search Results	Refine Search
Help User Searches	Search Results -
Preferences	Terms Documents
Logout	L2 and 358/\$.ccls. 294

US Pre-Grant Publication Full-Text Database US Patents Full-Text Database

Database:

US OCR Full-Text Database EPO Abstracts Database JPO Abstracts Database Derwent World Patents Index IBM Technical Disclosure Bulletins

Search:

L3		-	 屋
			屋
·········	·····		

Refine Search





separated separa

Search History

DATE: Wednesday, February 16, 2005 Printable Copy Create Case

Set Name side by side	Query	<u>Hit</u> Count	Set Name result set
DB =	PGPB,USPT; PLUR=YES; OP=OR		
<u>L3</u>	L2 and 358/\$.ccls.	294	<u>L3</u>
<u>L2</u>	(calibrat\$3 or correct\$3 or adjust\$3 or compensat\$4 or enhanc\$3) near5 (path adj deviation or vibration or resolution) near5 (scan\$4 or read\$4 or CCD or sensor)	2402	<u>L2</u>
<u>L1</u>	(calibrat\$3 or correct\$3 or adjust\$4 or compensat\$4 or compar\$3 or enhanc\$3) near5 (path adj deviation or vibration or resolution) near5 (scan\$4 or read\$4 or CCD or sensor)	3198	<u>L1</u>

Refine Search

Search Results -


Terms	Documents
L2 and L1	27

US Pre-Grant Publication Full-Text Database US Patents Full-Text Database

Database:

US OCR Full-Text Database EPO Abstracts Database JPO Abstracts Database **Derwent World Patents Index** IBM Technical Disclosure Bulletins

Search:











Search History

DATE: Tuesday, February 15, 2005 Printable Copy Create Case

Set Name side by side	Query	<u>Hit</u> <u>Count</u>	Set Name result set
DB = 1	PGPB, USPT; PLUR=YES; OP=OR		
<u>L3</u>	L2 and L1	27	<u>L3</u>
<u>L2</u>	(detect\$4 or determin\$3 or designat\$3) near10 (calibration or adjust\$3 or correction) near10 (reference adj plate or board)	817	<u>L2</u>
<u>L1</u>	(compensat\$3 or adjust\$3 or correct\$3 or determin\$3) near10 (image or document or sheet) adj (scan\$4 or read\$4 or CCD or sensor)	5703	<u>L1</u>

Freeform Search

Database:	US-Pre=Grant-Publication-Full-Text-Database US Patents Full-Text Database US OCR Full-Text Database EPO Abstracts Database JPO Abstracts Database Derwent World Patents Index IBM Technical Disclosure Bulletins
Term:	L10 and L8
Display:	10 Documents in Display Format: - Starting with Number 1
Generate:	○ Hit List ⑥ Hit Count ○ Side by Side ○ Image
.	Search Clear Interrupt
	Search History

DATE: Tuesday, February 15, 2005 Printable Copy Create Case

Set Name side by side	Query	<u>Hit</u> Count	Set Name result set
<u>L12</u>	=USPT; PLUR=YES; OP=OR L10 AND 18 and L9	0	<u>L12</u>
	=PGPB, USPT; PLUR=YES; OP=OR L10 and L8	3	<u>L11</u>
<u>L10</u>	(detect\$3 or determin\$3 or designat\$3 or discriminat\$3) same (calibration adj board) same (adjust\$3 or correct\$4 or compare or compensat\$3)	18	<u>L10</u>
<u>L9</u>	(detect\$3 or determin\$3 or designat\$3 or discriminat\$3) near10 (calibration adj board) same (adjust\$3 or correct\$4 or compare or compensat\$3)	7	<u>L9</u>
<u>L8</u>	(scan\$4 or read\$4 or sensor or CCD) and (image or document or paper)	834581	<u>L8</u>
<u>L7</u>	(scan\$4 or read\$4 or sensor or CCD) and (image or document or paper) and (calbiration adj boards) and (platform or substrate or platen)	0	<u>L7</u>
<u>L6</u>	(scan\$4 or read\$4 or sensor or CCD) and (image or document or paper) same (calbiration adj boards) and (platform or substrate or platen)	0	<u>L6</u>
<u>L5</u>	(scan\$4 or read\$4 or sensor or CCD) and (image or document or paper) same (calbiration adj boards) and (platform or substrate or platen) same (detect\$3 or determin\$3 or designat\$3 or discriminat\$3) near10 (calibration adj board) same (adjust\$3 or correct\$4 or compare or compensat\$3)	0	<u>L5</u>

· <u>L4</u>	(scan\$4 or read\$4 or sensor or CCD)	2531182	<u>L4</u>
<u>L3</u>	(calbiration adj boards) and (platform or substrate or platen) same (detect\$3 or determin\$3 or designat\$3 or discriminat\$3) near10 (calibration adj board) same (adjust\$3 or correct\$4 or compare or compensat\$3) same (scan\$4 or read\$4 or sensor or CCD)	0	<u>L3</u>
<u>L2</u>	(calbiration adj boards) and (platform or substrate) near10 (detect\$3 or determin\$3 or designat\$3 or discriminat\$3) near10 (calibration adj board) same (adjust\$3 or correct\$4 or compare or compensat\$3) same (scan\$4 or read\$4 or sensor or CCD)	0	<u>L2</u>
<u>L1</u>	(calbiration adj boards) near10 (platform or substrate) near10 (detect\$3 or determin\$3 or designat\$3 or discriminat\$3) near10 (calibration adj board) same (adjust\$3 or correct\$4 or compare or compensat\$3) same (scan\$4 or read\$4 or sensor or CCD)	0	<u>L1</u>

Freeform Search

Database:	US-Pre-Grant-Publication Full-Text-Database US Patents Full-Text Database US OCR Full-Text Database EPO Abstracts Database JPO Abstracts Database Derwent World Patents Index IBM Technical Disclosure Bulletins	
Term:	L6 and L5 厚	
Display:	10 Documents in <u>Display Format</u> : - Starting with Number 1	
Generate:	O Hit List @ Hit Count O Side by Side O Image	
•	Search Clear Interrupt	
	Search History	

DATE: Wednesday, February 16, 2005 Printable Copy Create Case

Set Name side by side	Query	Hit Count	Set Name result set
DB = 0	PGPB, USPT; PLUR=YES; OP=OR		
<u>L7</u>	L6 and L5	14	<u>L7</u>
<u>L6</u>	(two or many or several) near5 (calibration) near5 (board or reference or mark or plate)	751	<u>L6</u>
<u>L5</u>	(calibrat\$3 or correct\$3 or adjust\$3 or compensat\$4 or enhanc\$3) near5 (path adj deviation or vibration or resolution) near5 (scan\$4 or read\$4 or CCD or sensor)	2402	<u>L5</u>
<u>L4</u>	L2 and 358/474.ccls.	68	<u>L4</u>
<u>L3</u>	L2 and 358/\$.ccls. \	294	<u>L3</u>
<u>L2</u>	(calibrat\$3 or correct\$3 or adjust\$3 or compensat\$4 or enhanc\$3) near5 (path adj deviation or vibration or resolution) near5 (scan\$4 or read\$4 or CCD or sensor)	2402	<u>L2</u>
<u>L1</u>	(calibrat\$3 or correct\$3 or adjust\$4 or compensat\$4 or compar\$3 or enhanc\$3) near5 (path adj deviation or vibration or resolution) near5 (scan\$4 or read\$4 or CCD or sensor)	3198	<u>L1</u>

<u>L2</u>	(calibrat\$3 or correct\$3 or adjust\$3 or compensat\$4 or enhanc\$3) near5 (path adj deviation or vibration or resolution) near5 (scan\$4 or read\$4 or CCD or sensor)	2402	<u>L2</u>
<u>L1</u>	(calibrat\$3 or correct\$3 or adjust\$4 or compensat\$4 or compar\$3 or enhanc\$3) near5 (path adj deviation or vibration or resolution) near5 (scan\$4 or read\$4 or CCD or sensor)	3198	<u>L1</u>

END OF SEARCH HISTORY

Calibrat#3 rears strip